

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 8, 2024

### **1** Identification

### Product identifier

### Trade name: <u>KEEPER Reagent #2</u>

### · Recommended use and restriction on use

- · **Recommended use:** Laboratory chemicals
- · Restrictions on use: No relevant information available.

# Details of the supplier of the Safety Data Sheet Manufacturer/Supplier:

Kemin Industries, Inc. 2650 Venture Drive Norman, OK 73069 (405) 329-5556

### • Emergency telephone number:

Chemtrec for transportation emergencies in the United States,Canada, Puerto Rico, and Virgin Islands ·1-800-429-9300 All other areas 1-703-527-3887 ·American Assoc of Poison Control Ctr 1-800-222-1222 ·Chemtrec contract number: 2749

### 2 Hazard(s) identification

# Classification of the substance or mixture Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS07 Signal word: Warning Hazard statements:

 H319 Causes serious eye irritation.

 H335 May cause respiratory irritation.

 • Precautionary statements:

 P261
 Avoid breathing dust/fume/gas/mist/vapors/spray

 P264
 Wash thoroughly after handling.

 P271
 Use only outdoors or in a well-ventilated area.

 P280
 Wear eye protection / face protection.

 P304+P340
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

### Revision: November 08, 2024

### Trade name: KEEPER Reagent #2

P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

### **3** Composition/information on ingredients

### · Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	74.72%
	Sulfuric acid	0.28%
	📀 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
	Citric acid	25%
	Operation of the second sec	

### 4 First-aid measures

<sup>•</sup> Description of first aid measures

· General information: No special measures required.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

- Gastric or intestinal disorders when ingested.
- Nausea in case of ingestion.
- · **Danger:** Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

### • Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

### Trade name: KEEPER Reagent #2

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### <sup>•</sup> Advice for firefighters

### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

· Environmental precautions No special measures required.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Send for recovery or disposal in suitable receptacles.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### <sup>·</sup> Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires: No special measures required.

### <sup>•</sup> Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

### · Control parameters

### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

### 77-92-9 Citric acid

(Cont'd. on page 4)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

Trade name: KEEPER Reagent #2 PEL (USA) Long-term value: 980 mg/m<sup>3</sup>, 400 ppm REL (USA) Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm Long-term value: 980 mg/m<sup>3</sup>, 400 ppm Short-term value: 984 mg/m<sup>3</sup>, 400 ppm TLV (USA) Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI Short-term value: 400 ppm EL (Canada) Long-term value: 200 ppm Short-term value: 400 ppm EV (Canada) Long-term value: 200 ppm Short-term value: 400 ppm LMPE (Mexico) Long-term value: 200 ppm A4, IBE · Ingredients with biological limit values: 7664-93-9 Sulfuric acid BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) • Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. · Protection of hands: Protective gloves Material of gloves Fluorocarbon rubber (Viton) Butyl rubber, BR Natural rubber, NR Laminated film gloves. Nitrile rubber, NBR Neoprene gloves Sensibilization by the components in the glove materials is possible. Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing Limitation and supervision of exposure into the environment (Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

### Trade name: KEEPER Reagent #2

No relevant information available.

9 Physical and chemical proper	rties
<sup>•</sup> Information on basic physical a	nd chemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Slight
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	105-110 °C (221-230 °F)
Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.14 g/cm³ (9.51 lbs/gal)
Relative density:	Not determined.
· Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
<sup>·</sup> Other information	No relevant information available.

# 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

### Trade name: KEEPER Reagent #2

No decomposition if used and stored according to specifications.

### <sup>•</sup> Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Reacts with strong oxidizing agents.

• Conditions to avoid Excessive heat.

• Incompatible materials Oxidizers, strong bases, strong acids

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

### 11 Toxicological information

Information on toxicological effects
 Acute toxicity:

Acute toxicity:

 $\cdot$  LD/LC50 values that are relevant for classification:

77-92-9 Citric acid

Oral LD50 5,040 mg/kg (mouse)

Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

· On the eye: Irritating effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Causes serious eye irritation.

· Repeated dose toxicity: No relevant information available.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

### **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

Trade name: KEEPER Reagent #2

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

## <sup>•</sup> Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

### 13 Disposal considerations

### <sup>·</sup> Waste treatment methods

### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### <sup>·</sup> Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
<sup>·</sup> UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
<sup>·</sup> UN proper shipping name <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
<sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA <sup>·</sup> Class	Not regulated.
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.
· Environmental hazards	Not applicable.
Special precautions for user	Not applicable.
<sup>•</sup> Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.

## **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 08, 2024

S	SARA
S	Section 302 (extremely hazardous substances):
Ν	Ione of the ingredients are listed.
S	Section 313 (Specific toxic chemical listings):
Α	All ingredients are listed.
Т	SCA (Toxic Substances Control Act)
6	7-63-0 Propan-2-ol
Ρ	Proposition 65 (California)
C	Chemicals known to cause cancer:
Ν	Ione of the ingredients are listed.
C	Chemicals known to cause developmental toxicity for females:
Ν	Ione of the ingredients are listed.
C	Chemicals known to cause developmental toxicity for males:
Ν	lone of the ingredients are listed.
C	Chemicals known to cause developmental toxicity:
Ν	lone of the ingredients are listed.
E	EPA (Environmental Protection Agency):
Ν	lone of the ingredients are listed.
L	ARC (International Agency for Research on Cancer):
C	Canadian Domestic Substances List (DSL):
Ν	lone of the ingredients are listed.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: