



# 2025 PORTFOLIO GUIDE

## Ruminant Vaccines

Our full range of solutions to protect your operation from diseases compromising profitability and food security worldwide.

### TRANSBOUNDARY CONTROL

| LUMPY SKIN DISEASE         | TYPE        | DESCRIPTION   | SIZE                      | ADMINISTRATION                         |
|----------------------------|-------------|---|---------------------------|--|
| MEVAC™ LSD                 | Live        | Live attenuated Lumpy Skin Disease (LSD) monovalent vaccine containing the MEVAC LSDV-Neethling strain  | 10, 25, 50 DOSES +DILUENT | According to SPC                       |
| SHEEP POX                  | TYPE        | DESCRIPTION   | SIZE                      | ADMINISTRATION                         |
| MEVAC™ SHEEP POX           | Live        | Live-attenuated freeze-dried vaccine for immunization of sheep and goat against Sheeppox Virus (SPPV Romanian strain)                             | 100 DOSES +DILUENT        | Sheep: 1 mL (SC)                       |
| PESTE DES PETITS RUMINANTS | TYPE        | DESCRIPTION   | SIZE                      | ADMINISTRATION                         |
| MEVAC™ PPR                 | Live        | Live attenuated Peste des Petits Ruminants (PPR) monovalent vaccine containing the serotype Nigeria 75/1  | 25,50 & 100 doses         | Sheep/Goat: 1 mL (SC)                  |
| RIFT VALLEY FEVER          | TYPE        | DESCRIPTION   | SIZE                      | ADMINISTRATION                         |
| MEVAC™ RVF                 | Inactivated | Inactivated Rift Valley Fever (RVF) monovalent vaccine containing the ZH 501 strain [N/RVFV/ME/ZH 501], based on aluminium hydroxide with saponin | 50, 100 mL                | Cattle : 2 mL (SC)<br>Sheep: 1 mL (SC) |



## TRANSBOUNDARY CONTROL

### FOOT & MOUTH DISEASE TYPE DESCRIPTION

|                            |             |  | SIZE            | ADMINISTRATION  |
|----------------------------|-------------|--|-----------------|---|
| <b>TRI-APHTHOVAC™ PLUS</b> | Inactivated | Inactivated heptavalent viral vaccine for immunization against FMD serotypes   | 50, 100, 300 mL | Cattle/Buffalo : 2 mL (IM or SC)<br>Sheep/Goat: 1 mL (IM or SC) |
| <b>APHTHOVAC™ - TRI</b>    | Inactivated | Inactivated trivalent viral vaccine for immunization against FMD serotypes A-Iran-05, O-PanAsia2, and Asia1/Shamir   | 50, 100 mL      | Cattle/Buffalo : 2 mL (IM or SC)<br>Sheep/Goat: 1 mL (IM or SC) |
| <b>BI-APHTHOVAC™</b>       | Inactivated | Inactivated bivalent viral vaccine for immunization against FMD serotypes A-Iran-05, and O-PanAsia2  | 50, 100 mL      | Cattle/Buffalo : 2 mL (IM or SC)<br>Sheep/Goat: 1 mL (IM or SC) |
| <b>HEXA-APHTHOVAC™</b>     | Inactivated | Inactivated hexavalent viral vaccine for immunization against FMD serotypes A-Iran-05, A-Africa-GIV, Asia1-Shamir, O-PanAsia2, O-EA-3, and O-Manisa  | 50, 100, 300 mL | Cattle/Buffalo : 3 mL (IM or SC)<br>Sheep/Goat: 1 mL (IM or SC) |
| <b>APHTHOVAC™ 7</b>        | Inactivated | Inactivated octavalent viral vaccine for immunization against FMD serotypes A-Iran-05, A-Africa-GIV [Egypt-2022], A-Euro-South America [Euro-SA], SAT2-Eritrea/98, SAT2-Libya, O-PanAsia2, O-EA-3, O-Manisa-69 | 50, 100, 300 mL | Cattle : 3 mL (IM or SC)<br>Sheep: 1 mL (IM or SC)              |
| <b>APHTHOVAC™ 2</b>        | Inactivated | Inactivated aqueous tetravalent vaccine for immunization of ruminants against FMD serotypes O-PanAsia2, O-Manisa-69, A- Asia-GVII and A-Iran-05  | 50, 100 mL      | Cattle : 2 mL (SC)<br>Sheep: 1 mL (SC)                          |
| <b>APHTHOVAC™ 3</b>        | Inactivated | Inactivated pentavalent viral vaccine for immunization against FMD serotypes A-Iran-05, A-Asia-GVII, O-PanAsia2, O-Manisa-69, SAT2-Eritrea/98  | 50, 100 mL      | Cattle : 2 mL (SC)<br>Sheep: 1 mL (SC)                          |
| <b>APHTHOVAC™ 4</b>        | Inactivated | Inactivated hexavalent viral vaccine for immunization against FMD serotypes A-Iran-05, A-Asia-GVII, O-PanAsia2, O-Manisa 69, SAT2-Eritrea/98, Asia1/Shamir   | 45, 90 mL       | Cattle : 3 mL (SC)<br>Sheep: 1 mL (SC)                          |
| <b>APHTHOVAC™ ME</b>       | Inactivated | Inactivated emulsified pentavalent vaccine for immunization of cloven-hoofed animals against FMD serotypes A-Iran-05, SAT 2-Eritrea/98, O-PanAsia2, O-Manisa-69 and Asia 1/Shamir                              | 50, 100, 300 mL | Cattle : 3 mL (IM or SC)<br>Sheep: 1 mL(IM or SC)               |
| <b>APHTHOVAC™ 0</b>        | Inactivated | Inactivated bivalent viral vaccine for immunization against FMD serotypes O-PanAsia2 and O-Manisa-69   | 50, 100 mL      | Cattle/Buffalo: 2 mL (SC)<br>Sheep/Goat: 1 mL (SC)              |



Kemin Industries, Inc. and its group of companies 2025.  
All rights reserved. ™ Trademarks of or licensed by Kemin Industries, Inc., U.S.A. Certain statements, product labelling and claims may differ by geography or as required by local governmental regulations. Always use the product according to the SPC locally approved and following the advice from the prescribing veterinarian.

PTP-12273

For further information please contact us:

[kemin.biologics@kemin.com](mailto:kemin.biologics@kemin.com)

or visit:

[kemin.com/eu/en/markets/vaccines](http://kemin.com/eu/en/markets/vaccines)